

K. H. L. Key

27-29. III. 1970

27/3.

3721.3 Yolla.

746.1. Slope with brown soil bearing a
Tasmania crispa, *Russelia albertsi*, *Phaulacridium*
glaucous-leaved tree to 70 ft, with *Acacia*
nitida
melanoxyton regrowth. A thinned patch,
with a monocot. (spec) in 10-in tussocks,
Poa australis (?), & scattered composite
shrubs to 2 ft, occ. *Casimira* spp. to 2 ft.,
occ. *Acacia* sp.

750.9. Turned right.

755.4. Waratah.

778.8. Savage River P.O. Took Corinna road.

780.1. Quartzite hills with heath & much
Erica including *Erica* not-38 sp. 1
cyperaceae 1-3 ft, occ. lutton-grass, occ.
Banera. Fringed with *E. salicifolia*. Reburn

780.9. 16-mile peg from Corinna.

781.3. Savage River. Took Waratah road.

784.6. Similar to 780.1, but more lutton grass,
Phaulacridium nitida,

786.8. Heath on steep slope with pale brown
soil formed on brown rock. More diversified:

various cyperaceae, incl. *Lepidosperma* sp. ^{to 1 ft.},
to 30 in, occ. button-grass, occ. *Banksia* ^{occ.}
[*Hakea*, *Casuarina* to 3 ft, *Banksia* to 1 ft,
Leptospermum to 2 ft. No acrids. (No heath
between 784.6 + here.) Return.

3789.7 Trig. station. Highest point around,
Heath similar to 3780.1, but with a narrow-
stemmed *Lepidosperma* in addition.
Rounded quartzite rise. Dark grey soil.
(light rain.)

792.4 Savage River P.O.

[NB. It is clear from the road in-lages &
the 16-mile peg that stop 3857 of trip 19
is within a fraction of a mile of stop
3780.1 of this trip; and stop 3861 of trip
19 is within a fraction of a mile of
3789.7 of this trip - possibly right on
the dot, since the trig. station at the
highest point would be likely to be
selected.]

28/3.

3792.7 Savage River. Left on Cornua road.

796.3 Return.

796.7. Probably = stop 3855 of trip 19.

798.0. First appearance of heath.

798.4. Heath on steep slope of quartzite.

Abundant terete-stemmed cyperaceae
to 1ft, some button-grass.

799.9 Savage River.

29/3.

3930.3. Montagu

934.7 Woolnorth entrance gate.

947.9 Woolnorth homestead. Return.

[Ca. first 4 miles from homestead are
cleared & heavily stocked, mostly from
10-20 ft Melaleuca, with euc in places.
Then comes some true woodland with
dense heathy understory to 3ft.]

954.6. First patch of heath. *Leptospermum*
exama inclidens, *Parafittia argillacea*, *Phaullocladum*
& *Melaleuca* spp. to 18 in, some *Baueria* to
vittatum, *Psidium*, *Podistis*, *Tasmannia* sp. (G.)

Calorophus minor Hook. f. (Restionaceae)
Restio complanatus R. Br.

9 in., much ~~Cyperaceae~~ ^{Restionaceae} (ca. 3 spp.) ^(spec.) to 1 ft,
 occ. linton grass to 9 in.

3961.0 exit Woolnorth boundary gate.

963.3. Well-spaced *E. salicifolia* to ⁶⁰ 1 ft on
~~Phaulacridium vittatum~~, ~~Leucadendron~~, *Excoecaria* ~~includens~~,
 undulating grey sand with heath 1-2 ft,
~~Parabettia argillacea~~ *Minyacris nama*
 mainly *Leptospermum* spp. & *Abutilon* spp.,
 Occ. *Casuarina* sp., *Bauera rubioides*,
 patches *Cyperaceae*.

965.5. Montague.

976.4 Smithton depart on Marrawah road.

978.9. = 3610 of trip 19. Heath on flat low-
 lying area. *Excoecaria*. Return.

981.4. Smithton. Took Clearyard road.

983.8. Large patch of heath. No acrids. Return.